

## Author index

- Althausen, S. and Paschen, W.  
Homocysteine-induced changes in mRNA levels of genes coding for cytoplasmic- and endoplasmic reticulum-resident stress proteins in neuronal cell cultures (84) 32
- Alvar, F., see Barrallo, A. (84) 1
- Anderton, B.H., see Lee, K.-F. (84) 150
- Ashby, B., see Sakolsky, D.J. (84) 158
- Baffi, J.S., see Witta, J. (84) 67
- Barrallo, A., González-Sarmiento, R., Alvar, F. and Rodríguez, R.E.  
ZFOR2, a new opioid receptor-like gene from the teleost zebrafish (*Danio rerio*) (84) 1
- Biggio, G., see Follesa, P. (84) 52
- Bockaert, J., see Sauvage, M. (84) 79
- Brabet, P., see Sauvage, M. (84) 79
- Broberger, C., see Johansen, J.E. (84) 97
- Cagetti, E., see Follesa, P. (84) 52
- Cano, J., see Romero-Ramos, M. (84) 7
- Castillo, S.O., see Witta, J. (84) 67
- Chan, J.Y.-C., see Lee, K.-F. (84) 150
- Chi, X.X., see Sun, H.B. (84) 146
- Ebersole, B.J., see Rosendorff, A. (84) 90
- Esposito, G., see Follesa, P. (84) 52
- Follesa, P., Cagetti, E., Porta, S., Esposito, G. and Biggio, G.  
Pivagabine-induced increases in the abundance of CRF mRNA in the cerebral cortex and hypothalamus of rats (84) 52
- Geller, A.I., see Zhang, G.-r. (84) 17
- González-Sarmiento, R., see Barrallo, A. (84) 1
- Grzanna, R., see Seiffert, D. (84) 115
- Hökfelt, T., see Johansen, J.E. (84) 97
- Holsboer, F., see Sauvage, M. (84) 79
- Ikeda, K., see Watanabe, K.-i. (84) 141
- Itoh, H., see Okubo, A. (84) 127
- Itoyama, Y., see Kato, H. (84) 58
- Izaki, K., see Okubo, A. (84) 127
- Johansen, J.E., Broberger, C., Lavebratt, C., Johansson, C., Kuhar, M.J., Hökfelt, T. and Schalling, M.  
Hypothalamic CART and serum leptin levels are reduced in the anorectic (*anx/anx*) mouse (84) 97
- Johansson, C., see Johansen, J.E. (84) 97
- Kato, H., Oikawa, T., Otsuka, K., Takahashi, A. and Itoyama, Y.  
Postischemic changes in the immunophilin FKBP12 in the rat brain (84) 58
- Katori, Y., see Watanabe, K.-i. (84) 141
- Kinouchi, H., see Okubo, A. (84) 127
- Kiyasu, E., see Szot, P. (84) 135
- Kondo, H., see Okubo, A. (84) 127
- Kuhar, M.J., see Johansen, J.E. (84) 97
- Kunizuka, H., see Okubo, A. (84) 127
- Lau, K.-F., see Lee, K.-F. (84) 150
- Lavebratt, C., see Johansen, J.E. (84) 97
- Lee, K.-F., Chan, J.Y.-C., Lau, K.-F., Lee, W.-C., Miller, C.C.J., Anderton, B.H. and Shaw, P.-C.  
Molecular cloning and expression analysis of human glycogen synthase kinase-3 $\alpha$  promoter (84) 150
- Lee, W.-C., see Lee, K.-F. (84) 150
- Leverenz, J.B., see Szot, P. (84) 135
- Machado, A., see Romero-Ramos, M. (84) 7
- McLaughlin, P.J., see Zagon, I.S. (84) 106
- Mezey, É., see Witta, J. (84) 67
- Miller, C.C.J., see Lee, K.-F. (84) 150
- Miller, M.A., see Szot, P. (84) 135
- Mitchell, T., see Seiffert, D. (84) 115
- Mizoi, K., see Okubo, A. (84) 127
- Nikodem, V.M., see Witta, J. (84) 67
- Oikawa, T., see Kato, H. (84) 58
- Okubo, A., Kinouchi, H., Owada, Y., Kunizuka, H., Itoh, H., Izaki, K., Kondo, H., Tashima, Y., Yoshimoto, T. and Mizoi, K.  
Simultaneous induction of mitochondrial heat shock protein mRNAs in rat forebrain ischemia (84) 127
- Oshima, T., see Watanabe, K.-i. (84) 141
- Otsuka, K., see Kato, H. (84) 58
- Owada, Y., see Okubo, A. (84) 127
- Palkovits, M., see Witta, J. (84) 67
- Paschen, W., see Althausen, S. (84) 32
- Peskind, E.R., see Szot, P. (84) 135
- Porta, S., see Follesa, P. (84) 52
- Raskind, M.A., see Szot, P. (84) 135
- Roach, A., see Seiffert, D. (84) 115
- Rodríguez, R.E., see Barrallo, A. (84) 1
- Rohde, K., see Szot, P. (84) 135
- Romero-Ramos, M., Venero, J.L., Cano, J. and Machado, A.  
Low selenium diet induces tyrosine hydroxylase enzyme in nigrostriatal system of the rat (84) 7
- Rosendorff, A., Ebersole, B.J. and Sealfon, S.C.  
Conserved helix 7 tyrosine functions as an activation relay in the serotonin 5HT<sub>2C</sub> receptor (84) 90
- Saito, H., see Watanabe, K.-i. (84) 141
- Sakolsky, D.J. and Ashby, B.  
Determination of D1 and D2 dopamine receptor expression by Ntera-2 cells (84) 158
- Sauvage, M., Brabet, P., Holsboer, F., Bockaert, J. and Steckler, T.  
Mild deficits in mice lacking pituitary adenylate cyclase-activating polypeptide receptor type 1 (PAC1) performing on memory tasks (84) 79
- Schalling, M., see Johansen, J.E. (84) 97
- Sealfon, S.C., see Rosendorff, A. (84) 90
- Seiffert, D., Mitchell, T., Stern, A.M., Roach, A., Zhan, Y. and Grzanna, R.  
Positive-negative epitope-tagging of  $\beta$  amyloid precursor protein to identify inhibitors of A $\beta$  processing (84) 115
- Shaw, P.-C., see Lee, K.-F. (84) 150
- Shibahara, S., see Watanabe, K.-i. (84) 141
- Steckler, T., see Sauvage, M. (84) 79
- Stern, A.M., see Seiffert, D. (84) 115
- Suh, H.-W., see Won, J.-S. (84) 41
- Sun, H.B., Yokota, H., Chi, X.X. and Xu, Z.C.  
Differential expression of neurexin mRNA in CA1 and CA3 hippocampal neurons in response to ischemic insult (84) 146
- Sun, M., see Zhang, G.-r. (84) 17
- Szot, P., Leverenz, J.B., Peskind, E.R., Kiyasu, E., Rohde, K., Miller, M.A. and Raskind, M.A.  
Tyrosine hydroxylase and

- norepinephrine transporter mRNA expression in the locus coeruleus in Alzheimer's disease (84) 135
- Takahashi, A., see Kato, H. (84) 58
- Takasaka, T., see Watanabe, K.-i. (84) 141
- Takeda, K., see Watanabe, K.-i. (84) 141
- Tashima, Y., see Okubo, A. (84) 127
- Venero, J.L., see Romero-Ramos, M. (84) 7
- Verderame, M.F., see Zagon, I.S. (84) 106
- Wang, X., see Zhang, G.-r. (84) 17
- Wang, Y., see Zhang, G.-r. (84) 17
- Watanabe, K.-i., Takeda, K., Katori, Y., Ikeda, K., Oshima, T., Yasumoto, K.-i., Saito, H., Takasaka, T. and Shibahara, S. Expression of the *Sox10* gene during mouse inner ear development (84) 141
- Witta, J., Baffi, J.S., Palkovits, M., Mezey, É., Castillo, S.O. and Nikodem, V.M. Nigrostriatal innervation is preserved in *Nurr1*-null mice, although dopaminergic neuron precursors are arrested from terminal differentiation (84) 67
- Won, J.-S. and Suh, H.-W. The differential molecular mechanisms underlying proenkephalin mRNA expression induced by forskolin and phorbol-12-myristic-13-acetate in primary cultured astrocytes (84) 41
- Xu, Z.C., see Sun, H.B. (84) 146
- Yang, T., see Zhang, G.-r. (84) 17
- Yasumoto, K.-i., see Watanabe, K.-i. (84) 141
- Yokota, H., see Sun, H.B. (84) 146
- Yoshimoto, T., see Okubo, A. (84) 127
- Zagon, I.S., Verderame, M.F., Zimmer, W.E. and McLaughlin, P.J. Molecular characterization and distribution of the opioid growth factor receptor (OGFr) in mouse (84) 106
- Zhan, Y., see Seiffert, D. (84) 115
- Zhang, G.-r., Wang, X., Yang, T., Sun, M., Zhang, W., Wang, Y. and Geller, A.I. A tyrosine hydroxylase-neurofilament chimeric promoter enhances long-term expression in rat forebrain neurons from helper virus-free HSV-1 vectors (84) 17
- Zhang, W., see Zhang, G.-r. (84) 17
- Zimmer, W.E., see Zagon, I.S. (84) 106

